



Boilers and Pressure Vessels Safety  
3300 Bloor Street West  
14th Floor, Centre Tower  
Toronto, Ontario  
CANADA M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



AND/OR



**STATUTORY DECLARATION**  
Registration of Fittings

I, Brian White, General Manager

(Name & Position, e.g. President, Plant Manager, Chief Engineer)  
of Clark-Cooper Div.; Magnatrol Valve Corp

(Name of Manufacturer)

Located at 855 Industrial Hwy., Cinnaminson, NJ 08077

856-829-4580

856-829-7303

(Plant Address)

(Telephone Number)

(Fax Number)

do solemnly declare that the fittings listed hereunder, which are subject to the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels comply with all of the requirements of ASME B16.34-1996 - Valves-Flanged, Threaded, and Welding Ends.

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 which has been verified by the following authority, Orlon Registrar Inc.

Arvada, Colorado

The items covered by this declaration, for which I seek registration, are category "C" Valves type fittings. In support of this application, the following information and/or test data are attached as follows:

Drawings of all Pressure Boundary Parts; Calculations to show Conformance with ASME B16.34; Catalog Sheets (drawings, calculations, test reports, etc.)

Declared before me at \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_  
the 1st day of July AD 2009

Commissioner for Oaths:

Nancy Zlobik  
(Printed name)

Nancy Zlobik  
(Signature)

(Signature of Declarant)

Technical  
Standards  
and Safety  
Authority

Boilers and  
Pressure Vessels  
Safety Program

FOR OFFICE USE ONLY  
To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels and CSA Standard B51 and is accepted for registration in Category C1

CRN Number Issued: 0C13483.5

Registered by: MARK VALCIC, P. ENG.

Date Registered: OCT. 28, 2009

This registration expires on: OCT. 28, 2019

REGISTERED

CRN: 0C13483.5

Signed: [Signature]

Date: OCT. 28, 2009

Document Name: TSSA Statutory Declaration Form, Jan 17, 2007, Rev. 4.doc

NOTE: SCOPE OF REGISTRATION  
MAGNATROL EHTO SERIES VALVES SIZES 1/2" THROUGH 2"  
[Signature]



**Boilers and Pressure Vessels Safety**  
 3300 Bloor Street West  
 14th Floor, Centre Tower  
 Toronto, Ontario  
 CANADA M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



AND/OR



**STATUTORY DECLARATION**  
**Registration of Fittings**

I, Brian White, General Manager  
 (Name & Position, e.g. President, Plant Manager, Chief Engineer)  
 of Clark-Cooper Div., Magnatrol Valve Corp  
 (Name of Manufacturer)  
 Located at 855 Industrial Hwy., Cinnaminson, NJ 08077      856-829-4580      856-829-7303  
 (Plant Address)      (Telephone Number)      (Fax Number)

- do solemnly declare that the fittings listed hereunder, which are subject to the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels comply with all of the requirements of ASME B16.34-1996 - Valves-Flanged, Threaded, and Welding Ends.  
 (Title of recognized North American Standard)  
 which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;
- or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 which has been verified by the following authority, Orion Registrar Inc.  
Arvada, Colorado. The items covered by this declaration, for which I seek registration, are category "C" Valves type fittings. In support of this application, the following information and/or test data are attached as follows:  
Drawings of all Pressure Boundary Parts; Calculations to show Conformance with ASME B16.34; Catalog Sheets  
 (drawings, calculations, test reports, etc.)

Declared before me at \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_  
 the 1st day of July AD 2009.

Commissioner for Oaths:  
Nancy Zlobik  
 (Printed name)  
Nancy Zlobik  
 (Signature)

[Signature]  
 (Signature of Declarer)

**FOR OFFICE USE ONLY**

To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, 2000, and Regulations for Boilers and Pressure Vessels and is accepted for registration in Category 'C'.



CRN Number Issued: CSA-0C13483.56\*  
 Registered by: Bikramjit S. Sandhu, P.Eng  
 Date Registered: DECEMBER 4, 2009  
 This registration expires on: OCTOBER 28, 2019

C.R.N.: CSA-0C13483.56\*  
 Signed: Bikramjit Sandhu  
 Date: DECEMBER 4, 2009  
 178 Rexdale Blvd., Toronto, ON M9W 1R3

Document Name: TSSA Statutory Declaration Form, Jan 17, 2007, Rev.4.doc

\*NOTE: SCOPE OF REGISTRATION MAGNATROL EH70 SERIES VALVES SIZES 1/2" THROUGH 2"

\* Thickness to Comply with B16.34-1996

NOTARY PUBLIC STATE OF NEW JERSEY  
 MY COMMISSION EXPIRES APRIL 1 2014

# Manitoba



Labour

Mechanical and Engineering

500 — 401 York Avenue  
Winnipeg MB R3C 0P8  
CANADA

PH: (204) 945-3373  
FAX: (204) 948-2308

April 22, 1998

The Province of Manitoba will be participating with Quebec, Saskatchewan and the Canadian Standards Association in a pilot project for the registration of fittings. We will recognize registrations done by CSA and accept such fittings for use in Manitoba. The letters CSA will be applied in front of the CRN to indicate which fittings have been registered in this manner. I would appreciate it if you could inform your clients of this additional marking request.

You may now inform your clients that the CSA registration is acceptable in Manitoba.

Yours truly,

I.W. Mault, P.Eng.  
Director



Saskatchewan  
Municipal  
Government

## Saskatchewan

Protection Services  
330 - 1851 Victoria Avenue  
Regina, Saskatchewan  
S4P 3V7

787-4509

April 23, 1998

### Re: Fittings Registration

The Province of Saskatchewan will be participating with Quebec, Manitoba and the Canadian Standards Association (CSA) in a pilot project for the registration of fittings. We will recognize registrations done by CSA and accept such fittings for use in Saskatchewan.

The letters CSA will be applied as a prefix to the CRN to indicate which fittings have been registered in this manner. I would appreciate if you could inform your clients of this additional marking requirement.

You may also inform your clients that fittings registered by CSA are accepted for use in Saskatchewan.

Yours truly,



N. Surtees, P. Eng.  
Executive Director


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Clark Cooper Div. Magnatrol Valve Corp.</u>	
MANUFACTURERS ADDRESS: <u>855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077</u>	
PLANT LOCATIONS: <u>855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: <u>all flanges</u>                  C Valves: <u>all line valves</u>                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASTM B16.34</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <div style="text-align: center;">  </div>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p align="center">Drawings of all Pressure Boundary Parts; Calculations to show conformance with ASTM B16.34; and Catalog Sheets, See Submission Package</p>	

**DECLARATION:**

I Chris Wunderlich (see note 3) employed by Clark Cooper and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Orion Registrar, Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Chris Wunderlich

Declared before me at Cinnaminson NJ Burlington County

This 27th day of OCT AD 2009

Commissioner of Oaths or Notary Public: (sign) Donna McComan

(Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0C13483.5</u> FID#: <u>2654</u>	<p><b>ACCEPTED</b></p> <p>PRINCE EDWARD ISLAND DEPT. OF PROVINCIAL AFFAIRS</p> <p>C.P.N. <u>0C13483.59</u>                  DATE: <u>05 Feb 2010</u></p> <p><u>[Signature]</u>                  INSPECTION SERVICES DIVISION                  FOR PRESSURE VESSEL BRANCH</p>
<p><b>Notes:</b></p> <p>1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK      NOVA SCOTIA      PRINCE EDWARD ISLAND      NEWFOUNDLAND AND LABRADOR  
 NUNAVUT              YUKON              NORTHWEST TERRITORIES

MANUFACTURERS NAME: Clark Cooper Div. Magnatrol Valve Corp.  
 MANUFACTURERS ADDRESS: 855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077  
 PLANT LOCATIONS: 855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components; Class 1  Class 2  Class 3  (Meeting AECA or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION  
ASTM B16.34

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

M AND/OR CC

TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  
Drawings of all Pressure Boundary Parts; Calculations to show conformance with ASTM B16.34; and Catalog Sheets, See Submission Package

DECLARATION:  
 I Chris Wunderlich (see note 1) employed by Clark Cooper and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Orion Registrar, Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chris Wunderlich  
 Declared before me at Cinnaminson NJ Burlington County  
 This 27th day of OCT AD 2009  
 Commissioner of Oaths or Notary Public: (sign) Donna McCromack  
 (Affix Official seal to the right)

**DONNA M CROMAN**  
 NOTARY PUBLIC FOR THE  
 STATE OF NEW JERSEY  
 MY COMMISSION EXPIRES AUG. 23, 2014  
 I.D.# 2168814

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC13483.5  
 FID#: 2654

BOILER PRESSURE VESSEL  
 NOVA SCOTIA  
 Date: Feb. 5/10

C.R.N. OC13483.58  
 Dwg. as described  
 Signed Yvonne Perry  
 of Part  
 REGULATIONS

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Clark Cooper Div. Magnatrol Valve Corp.</u>	
MANUFACTURERS ADDRESS: <u>855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077</u>	
PLANT LOCATIONS: <u>855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: <u>all flanges</u></p> <p><u>C Valves: all line valves</u></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASTM B16.34</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input type="checkbox"/>                  DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p align="center">Drawings of all Pressure Boundary Parts; Calculations to show conformance with ASTM B16.34; and Catalog Sheets, See Submission Package</p>	


**DECLARATION:**

I Chris Wunderlich (see note 3) employed by Clark Cooper and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Orion Registrar, Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Chris Wunderlich*

Declared before me at Cinnaminson NJ Burlington County on the 27<sup>th</sup> day of OCT AD 2009

Commissioner of Oaths or Notary Public: (sign) *Donna McCroman*  
 (Affix Official seal to the right)



This space for Regulatory Authority use New Brunswick / Nouveau Brunswick  
 This registration must be revalidated after ten (10) years of the date of registration.

CRN: 0C13483.5  
 FID#: 2654

**REGISTRATION ONLY**  
 CRN 0C13483.57  
 EXAMINER: *Donna Croman* for  
 CHIEF BOILER INSPECTOR  
 DATE: Feb 4 / 2010

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BLRs  FVs  
 FITTINGS  COMPONENTS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Clark Cooper Div. Magnatrol Valve Corp.</u>	
MANUFACTURERS ADDRESS: <u>855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077</u>	
PLANT LOCATIONS: <u>855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASTM B16.34</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p align="center">Drawings of all Pressure Boundary Parts; Calculations to show conformance with ASTM B16.34; and Catalog Sheets, See Submission Package</p>	

**DECLARATION:**

I Chris Wunderlich (see note 3) employed by Clark Cooper and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Orion Registrar, Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chris Wunderlich

Declared before me at Cinnaminson NJ Burlington County

This 27th day of OCT AD 2009

Commissioner of Oaths or Notary Public: (sign) Donna McComack

(Affix Official seal to the right)

**DONNA M CROMAN**  
NOTARY PUBLIC  
STATE OF NEW JERSEY  
MY COMMISSION EXPIRES AUG. 23, 2014  
I.D.# 2168814

This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C13483.5

FID#: 2654

Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF  
NEWFOUNDLAND  
AND LABRADOR  
Department of  
Engineering and Services

Registered 0C13483.50  
Date 2010/2/11


GOVERNMENT OF THE  
Engineering and Services  
Registered by [Signature]  
UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY ACT AND  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATIONS





STATUTORY DECLARATION  
Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



I, Chris Wunderlich,

Engineering Manager

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of Clark Cooper Div. Magnatrol Valve Corp.

(name of manufacturer)

located at 855 Industrial Hwy. Unit 4, Cinnaminson, NJ 08077

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

comply with the requirements of \_\_\_\_\_ which specifies the dimensions, (title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASTM B16.34 as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, ISO 9001:2000 as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are EH70 Series Valves

In support of this application, the following information, calculations and/or test data are attached:

Drawings of all Pressure Boundary Parts; Claculations to show conformance with ASME B16.34; Catalog Sheets


See Submission Package

DECLARED before me at Cinnaminson in the County of Burlington NJ

this 27th day of OCT, 2009  
(Month) (Year)

(print) Donna M. Croman

(sign) Donna M. Croman  
(A Commissioner for Oaths)



(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: OC13483.52

IRILAGYCHUK

Date Registered: JUL 10 2010

(For the Administrator/Chief Inspector of Alberta)

Expiry Date: 2019-10-28

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

THIS REGISTRATION COVERS THE PRODUCT THAT MEET ASME B16.34 04/4



## DIRECTIVE

No: D-B6 070402 3

<p style="text-align: center;"><b>EXEMPTION FROM REGISTRATION REQUIREMENTS FOR CATEGORY A, B, C, AND G CATEGORY FITTINGS</b></p>
--

*This Directive is being issued by a provincial safety manager pursuant to section 30 of the Safety Standards Act.*

**Date of Issue: April 2, 2007**

### General Details

This directive is being issued to exempt Category A, B, C, and G fittings from registration as required by Section 84(2) of the Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation (PEBPV&RSR) effective May, 1, 2007.

All registrations received before May 1, 2007 will be processed but any received after this date will be returned to the submitter.

### Specific Details

Section 84(2) of the PEBPV&RSR requires that fittings, boilers, pressure vessels and pressure piping be registered with a provincial safety manager of the BC Safety Authority. The specific types of fittings for which this exemption applies are categories A, B, C, fittings and category G capacity certified fittings as listed in CSA B 51 Table 1.

- A Pipe fittings, including couplings, tees, elbows, wyes, plugs, unions, nipples, pipe caps, and reducers
- B All flanges
- C All line valves
- G Certified capacity-rated pressure-relief devices acceptable as primary overpressure protection on boilers, pressure vessels and pressure piping, and fusible plugs.

Pursuant to the power granted to the provincial Safety Manager under Section 84(8) of the PEBPV&RSR, it is hereby directed that category A, B, C, and G fittings, as described above, are exempt from the registration requirements of Section 84(2) of the PEBPV&RSR effective May 1, 2007.

A handwritten signature in black ink that reads "M. Bishop".

Malcolm Bishop  
Provincial Safety Manager - Boilers

For more information, contact your local safety officer or visit our web site at:

[www.safetyauthority.ca](http://www.safetyauthority.ca)

DIRECTIVE NO: D-B6 070402 3

Page 1 of 2

88 SIXTH STREET, SUITE 400, NEW WESTMINSTER, BRITISH COLUMBIA, CANADA V3L 5B3  
Toll Free: 1-866-566-SAFE (7233) Fax: 604 660-6215 Web Site: [www.safetyauthority.ca](http://www.safetyauthority.ca) E-mail: [info@safetyauthority.ca](mailto:info@safetyauthority.ca)



## Relevant Legislation

### Registration of boiler, pressure vessel, fitting and pressure piping design

**84** (1) For this section, "**pressure retaining equipment**" means a boiler or pressure vessel, or pressure piping system.

(2) The design of all boilers, pressure vessels, fittings and pressure piping, to which this regulation applies, must be registered with a provincial safety manager.

(3) Subsection (2) does not apply to pressure piping that is

(a) NPS 3 or less, or

(b) in a fluid plant.

(4) To register a design, the owner, licensed contractor, consulting engineer, manufacturer or designer of the pressure retaining equipment must submit, for review by a provincial safety manager, an application containing all drawings, design specifications, calculations and codes of conformance as required by a provincial safety manager.

(5) Registration of pressure retaining equipment must be obtained before construction is commenced.

(6) If, in the opinion of a provincial safety manager, a design registered under subsection (2) is subsequently found to be defective in any detail, the design must be revised by the person who submitted the design and those revisions must be approved by the provincial safety manager.

(7) The registration of a pressure retaining equipment design does not relieve the equipment manufacturer of liability for the design and construction of the pressure retaining equipment.

(8) A provincial safety manager may exempt fitting designs from registration under subsection (2).